

Jersey Fitness conversions

December 2024

When to use these formulas

These conversions should only be used for converting cow evaluations and bulls which do not have an Interbull evaluation. Please check with AHDB Dairy if in doubt.

The formulae provide a guide only to the expected evaluations of the relevant bull or cow in the UK.

How to convert a foreign proof using figures in the table below

$$\text{Approximate UK PTA} = a + (b * \text{Foreign proof})$$

How to adjust the converted reliability

To take into account the loss of accuracy when converting a foreign proof into a UK equivalent, Interbull guidelines recommend that the foreign reliabilities should be adjusted by the squared correlations between the foreign and UK genetic evaluations.

Somatic Cell Count (SCC)

The foreign SCC reliability must therefore be multiplied by 0.90 (i.e. **UK reliability = 0.90 * Foreign reliability**)

| | a | | b | | |
|-------|----------|---|----------|---|-----|
| GBR = | 5.05 | + | 36.813 | * | AUS |
| GBR = | 179.3 | + | -1.777 | * | CAN |
| GBR = | 65.59 | + | -0.708 | * | CHE |
| GBR = | 72.72 | + | -0.843 | * | DFS |
| GBR = | 154.64 | + | -1.526 | * | ITA |
| GBR = | 246.15 | + | -2.662 | * | NLD |
| GBR = | 3.66 | + | 21.642 | * | NZL |
| GBR = | -179.57 | + | 59.752 | * | USA |
| GBR = | -1.64 | + | 0.474 | * | ZAF |

Mastitis

The foreign Mastitis reliability must therefore be multiplied by 0.75 (i.e. **UK reliability = 0.75 * Foreign reliability**)

| | a | | b | |
|-------|----------|---|----------|-------|
| GBR = | 0.93 | + | 10.111 | * AUS |
| GBR = | 20.37 | + | -0.2 | * CAN |
| GBR = | 10.32 | + | -0.107 | * CHE |
| GBR = | 12.92 | + | -0.138 | * DFS |
| GBR = | 22.71 | + | -0.22 | * ITA |
| GBR = | 31.77 | + | -0.335 | * NLD |
| GBR = | 0.46 | + | 3.104 | * NZL |
| GBR = | 0.29 | + | -0.575 | * USA |
| GBR = | -0.12 | + | 0.066 | * ZAF |

Lifespan (LS)

The foreign LS reliability must therefore be multiplied by 0.70 (i.e. **UK reliability = 0.70 * Foreign reliability**)

| | a | | b | |
|-------|----------|---|----------|---------------|
| GBR = | (-0.25 | + | 4.151 | * AUS) * 305 |
| GBR = | (-3.45 | + | 0.033 | * CAN) * 305 |
| GBR = | (-1.45 | + | 0.016 | * DFS) * 305 |
| GBR = | (-0.27 | + | 0.12 | * IRL) * 305 |
| GBR = | (-2.88 | + | 0.028 | * ITA) * 305 |
| GBR = | (0.06 | + | 0.001 | * NLD) * 305 |
| GBR = | (-0.21 | + | 0.079 | * NZL) * 305 |
| GBR = | (-0.08 | + | 0.098 | * USA) * 305 |
| GBR = | (-0.75 | + | 0.007 | * ZAF) * 305 |

Fertility Index (FI)

The foreign FI reliability must therefore be multiplied by 0.60 (i.e. **UK reliability = 0.60 * Foreign reliability**)

| | | | | | | | |
|-------|--------|---|---------|----------------|---|--------|----------------|
| GBR = | 0.6 | + | -0.6065 | * AUS CI trait | + | 0 | * AUS NR trait |
| GBR = | -107.1 | + | 0.5977 | * CAN CI trait | + | 0.4475 | * CAN NR trait |
| GBR = | -39.9 | + | 0.2845 | * DFS CI trait | + | 0.1732 | * DFS NR trait |
| GBR = | -1.2 | + | -1.6426 | * IRL CI trait | + | 0 | * IRL NR trait |
| GBR = | -204.9 | + | 1.2804 | * NLD CI trait | + | 0.7362 | * NLD NR trait |
| GBR = | 0.2 | + | 75.3821 | * NZL CI trait | + | 0 | * NZL NR trait |
| GBR = | -2.5 | + | 1.483 | * USA CI trait | + | 0.9094 | * USA NR trait |
| GBR = | -0.1 | + | -0.3498 | * ZAF CI trait | + | 0 | * ZAF NR trait |