

Mobility score

Mobility score

A. Farm 01/01/20 Scorer: A. Farmer 119 Total number of cows scored:

Score 0 and 1	Score 2 Likely to benefit from treatment	Score 3 Very lame – treatment urgently required Record the IDs of any cows showing	
Acceptable mobility Tally the number of cows	Record the IDs of any cows showing signs of Score 2	Signs of ea	
	202 412 34	101 67	
WH WH WH WH II	78 55 20	Note the IDs of cows showing	
the number of	Note the IDs of cows showing signs of Score 2, i.e. 6	Note the IDs of Cows signs of Score 3, i.e. 2	
Record and tally the risk. 22	Number of cows: 6	Number of cows: 2	
Jumber of cows: 22	Numer		
Group 2 WY WY WY WY WY II	22 29	412	
		Number of cows:	
07	Number of cows: 2		
Number of cows: 27 Group 3	15 107 66 10	21 73 44	
un un un	54 45 21	4	
	12 209 321		
	10	Number of cows: 3	
Number of cows: [5	Number of cows: 12		
Number of cows.	36 667	16	
WI WI WI WI III	d1 62 48		
= no. of cows scoring 0 and 1 divide by the total no. of cows in herd x 1 i.e. 88 ÷ 119 x 100 = 74	100	Number of cows:	
	Number of cows: 4	7	
Number of cows: 24	4% Total cows: 24	20 %	
Total cows: 88	Mobility index	7	
% of cows in the herd scoring 0	and 1	_	

ahdb.org.uk/healthyfeetprogramme



How to score your herd

In general:

- 1 Check your herd, ideally at least once a month.
- 2 Choose a time and a place that will allow you to observe cows, ideally, on a hard, non-slip surface (e.g. concrete). Monitor each cow individually, allowing them to make 6–10 uninterrupted strides. Watch the cow from the side and the rear and, if possible, ensure the cow turns a corner as part of her test.
- 3 Record the identities of cows scoring 2 or 3 and schedule treatment with regular checks to ensure treatment is working.
- 4 Keep a tally of cows that score 0 and 1.
- 5 If you are uncertain about a cow's exact score, make repeat observations. If you are still unsure, examine her feet.

Key benefits of scoring

- Every cow is regularly assessed for the early signs of poor mobility, prompting foot-trimming and action lists.
- 2 Mobility trends can be monitored to identify new problems at an early stage.
- 3 Provision of figures for benchmarking performance.
- 4 General foot health awareness is increased.
- 5 Motivates farm staff to improve herd mobility and therefore overall herd health.

Research shows early and effective treatment of lame cows consistently works to reduce lameness in a herd.

For further information on using the Mobility score, contact your local Knowledge Exchange Manager or email healthyfeet@ahdb.org.uk

The Register of Mobility Scorers (RoMS) is an independent, self-regulatory body that encourages the widespread use of standardised, independent mobility scoring conducted by trained and accredited scorers. Find out more about RoMS at roms.org.uk

Mobility score

Category of score	Score	Description of cow behaviour	Suggested actions	
			Suggested actions	
Good Carlotte Carlott	d mobilit	Walks with even weight-bearing and rhythm on all four feet, with a flat back Long, fluid strides possible	No action needed Routine (preventative) foot trimming when/if required Record mobility at next scoring session	
Imperfect mobility				
	1	 Steps uneven (rhythm or weight-bearing) or strides shortened; affected limb or limbs not immediately identifiable 	 Could benefit from routine (preventative) foot trimming when/if required Further observation recommended 	
Impaired mobility				
	2	Uneven weight-bearing on a limb that is immediately identifiable and/or obviously shortened strides (usually with an arch to the centre of the back)	Lame and likely to benefit from treatment Foot should be lifted to establish the cause of lameness before treatment Should be attended to as soon as practically possible	
Severely impaired mobility				
	3	Unable to walk as fast as a brisk human pace (cannot keep up with the healthy herd) Lame leg easy to identify – limping; may barely stand on lame leg/s; back arched when standing and walking Very lame	This cow is very lame and requires urgent attention, nursing and further professional advice Examine as soon as possible Cow will benefit from treatment Cow should not be made to walk far and kept on a straw yard or at grass In the most severe cases, culling may be the only possible solution	

Mobility score

-arm:	
Date:	
Scorer:	
otal number of cows scored:	



Score 0 and 1 Acceptable mobility	Score 2 Likely to benefit from treatment	Score 3 Very lame – treatment urgently required				
Tally the number of cows	Record the IDs of any cows showing signs of Score 2	Record the IDs of any cows showing signs of Score 3				
Group 1						
Number of cows:	Number of cows:	Number of cows:				
Group 2						
Number of cows:	Number of cows:	Number of cows:				
Group 3						
Number of cows:	Number of cows:	Number of cows:				
Group 4						
Number of cows:	Number of cows:	Number of cows:				
Total cows: %	Total cows: %	Total cows:				
Mobility index						
% of cows in the herd scoring 0 and 1 %						

Produced for you by:

AHDB Dairy Stoneleigh Park Kenilworth Warwickshire CV8 2TL

T 024 7669 2051 E comms@ahdb.org.uk W ahdb.org.uk ❤ @AHDB_Dairy

If you no longer wish to receive this information, please email us on comms@ahdb.org.uk

While the Agriculture and Horticulture Development Board seeks to ensure that the information contained within this document is accurate at the time of printing, no warranty is given in respect thereof and, to the maximum extent permitted by law, the Agriculture and Horticulture Development Board accepts no liability for loss, damage or injury howsoever caused (including that caused by negligence) or suffered directly or indirectly in relation to information and opinions contained in or omitted from this document.

© Agriculture and Horticulture Development Board 2020. All rights reserved.

