

- * For uses where the column „Remarks. As above or other conditions to take into account
- (a) For crops, the EU and Codex classification (both) should be taken into account ; where relevant, the use situation should be described (e.g. fumigation of a structure)
 - (b) Outdoor or field use (F), greenhouse application (G) or indoor application (I)
 - (c) e.g. pests as biting and sucking insects, soil born insects, foliar fungi, weeds or plant elicitor
 - (d) e.g. wettable powder (WP), emulsifiable concentrate (EC), granule (GR) etc..
 - (e) GCPF Codes – GIFAP Technical Monograph N° 2, 1989
 - (f) All abbreviations used must be explained
 - (g) Method, e.g. high volume spraying, low volume spraying, spreading, dusting, drench
 - (h) Kind, e.g. overall, broadcast, aerial spraying, row, individual plant,
 - (i) g/kg or g/L. Normally the rate should be given for the active substance (according to ISO)
 - (j) Growth stage at last treatment (BBCH Monograph, Growth Stages of Plants, 1997, Blackwell, ISBN 3-8263-3152-4), including where relevant, information on season at time of application
 - (k) Indicate the minimum and maximum number of application possible under practical conditions of use
 - (l) The values should be given in g or kg whatever gives the more manageable number (e.g. 200 kg/ha instead of 200 000 g/ha or 12.5 g/ha instead of 0.0125 kg/ha)
 - (m) PHI - minimum pre-harvest interval between the plant – type of equipment used must be indicated