



Data were assembled with care but treat differences below LSD cautiously. Performance variation is not AHDB's responsibility. AHDB Harvest Results 2019

## AHDB Recommended Lists

### Winter Rye DL 1-year results 2019 - DL varieties

19-Aug		Treated grain yield (t/ha) - as % mean of controls				
Name	Code	15-19	2019	Great Melton	Rougham	Clinge
		mean	mean	Norfk	Sufflk	Sufflk
Control mean		9.81	10.65	11.30	10.51	10.13
LSD 5% (as %C)		3.2	3.8	4.4	4.9	4.4
CV%		3.8	2.2	2.5	2.8	2.5
SU Mephisto (C)	RY9097	100	100	100	100	100
Tur	RY51	99	100	100	101	99
Inspector	RY9106	90	89	87	92	88
SU Performer	RY9114	106	105	102	106	106
Dukato	RY9116	89	88	85	92	89
SU Cossani	RY9126	101	101	98	100	105
SU Promotor	RY9137	99	97	96	97	100

(C) = yield control

Not all varieties on the AHDB Recommended List are presented, since the focus is to test new varieties. Yields for well-established varieties on the AHDB Recommended Lists are available at [cereals.ahdb.org.uk/varieties](http://cereals.ahdb.org.uk/varieties)

The AHDB Recommended Lists are managed by a project consortium of AHDB Cereals & Oilseeds, BSPB, nabim and MAGB. AHDB Cereals & Oilseeds is a division of the Agriculture and Horticulture Development Board.

While the Agriculture and Horticulture Development Board seeks to ensure that the information contained within this document is accurate at the time of printing, no warranty is given in respect thereof and, to the maximum extent permitted by law, the Agriculture and Horticulture Development Board accepts no liability for loss, damage or injury howsoever caused (including that caused by negligence) or suffered directly or indirectly in relation to information and opinions contained in or omitted from this document. © Agriculture and Horticulture Development Board 2019. All rights reserved.

Harvest results from an individual trial sites should not be used to make conclusions on individual variety performance. Recommended lists are based on information taken from trials across the UK over several seasons. As more information becomes available from the 2019 harvest, this will contribute to the over trials averages, which comprise 4 years for oilseeds and 5 years for cereals. These values provide better information for comparison between varieties. When more results are available, our validation procedures will examine cross site differences further.