

AHDB Recommended Lists

Spring Wheat RL 1-year results 2020 (ALL trials - RL varieties only)

09-Dec		Final Results: Treated grain yield (t/ha) - as % mean of controls						
Name	Code	16-20	2020	Msby	Bleasby	Norton	Cawood	Clinge
		mean	mean	Lincs	Lincs	Hants	NYorks	Sufflk
Control mean		6.84	6.17	6.87	5.97	5.74	6.49	5.79
LSD 5% (as %C)		3.65	5.02	-	-	-	-	-
CV%		3.6	3.8	-	-	-	-	-
Mulika (C)	SW1960	94	98	97	99	103	98	96
KWS Alderon (C)	SW2024	100	96	99	97	87	97	101
KWS Cochise (C)	SW2476	106	105	104	104	111	105	104
KWS Kilburn	SW2166	103	107	108	102	116	100	111
KWS Chilham	SW2477	100	103	107	98	114	96	104
KWS Talisker	SW2690	105	106	112	98	112	100	110
Hexham	SW2693	105	109	116	105	113	102	111
KWS Giraffe	SW2787	103	101	103	96	106	98	100
WPB Arcade	SW2876	104	103	105	96	109	102	102
WPB Escape	SW2877	107	107	110	106	107	105	109

(C) = yield control

Not all varieties on the AHDB Recommended List are presented, since the focus is to test new varieties. Yields for well-established varieties on the AHDB Recommended Lists can be accessed via ahdb.org.uk/rl

The AHDB Recommended Lists are managed by a project consortium of AHDB Cereals & Oilseeds, BSPB, nabim and MAGB. AHDB Cereals & Oilseeds is a division of the Agriculture and Horticulture Development Board.

While the Agriculture and Horticulture Development Board seeks to ensure that the information contained within this document is accurate at the time of printing, no warranty is given in respect thereof and, to the maximum extent permitted by law, the Agriculture and Horticulture Development Board accepts no liability for loss, damage or injury howsoever caused (including that caused by negligence) or suffered directly or indirectly in relation to information and opinions contained in or omitted from this document. © Agriculture and Horticulture Development Board 2020. All rights reserved.

Harvest results from an individual trial sites should not be used to make conclusions on individual variety performance. Recommended lists are based on information taken from trials across the UK over several seasons. As more information becomes available from the 2020 harvest, this will contribute to the over trials averages, which comprise 4 years for oilseeds and 5 years for cereals. These values provide better information for comparison between varieties. When more results are available, our validation procedures will examine cross site differences further.