



Data were assembled with care but treat differences below LSD cautiously. Performance variation is not AHDB's responsibility.
AHDB Harvest Results 2020

AHDB Recommended Lists

Winter Triticale DL 1-year results 2020 - DL varieties

16-Dec Final Results: Treated grain yield (t/ha) - as % mean of controls					
				ODT427T	OSU426T
Name	Code	16-20	2020	Plumber	Clinge
		mean	mean	Dorset	Sufflk
Control mean		10.73	10.74	11.73	9.76
LSD 5% (as %C)		5.3	10.0	7.6	4.7
CV%		5.5	4.5	4.4	2.8
KWS Fido (C)	WT99	99	101	97	105
Kasyno (C)	WT107	101	99	103	95
Agostino	WT93	91	94	94	94
SU Liborious	WT114	98	100	97	103
Temuco	WT115	99	104	106	102
Belcanto	WT117	96	97	102	91
Tribeca	WT9056	97	100	97	104
Cyrkon	WT9096	95	98	101	94
Tender PZO	WT9134	94	94	95	94
Toro	WT9136	94	95	95	95

(C) = yield control

Not all varieties on the AHDB Recommended List are presented, since the focus is to test new varieties. Yields for well-established varieties on the AHDB Recommended Lists can be accessed via ahdb.org.uk/rl

The AHDB Recommended Lists are managed by a project consortium of AHDB Cereals & Oilseeds, BSPB, nabim and MAGB. AHDB Cereals & Oilseeds is a division of the Agriculture and Horticulture Development Board.

While the Agriculture and Horticulture Development Board seeks to ensure that the information contained within this document is accurate at the time of printing, no warranty is given in respect thereof and, to the maximum extent permitted by law, the Agriculture and Horticulture Development Board accepts no liability for loss, damage or injury howsoever caused (including that caused by negligence) or suffered directly or indirectly in relation to information and opinions contained in or omitted from this document. © Agriculture and Horticulture Development Board 2020. All rights reserved.

Harvest results from an individual trial sites should not be used to make conclusions on individual variety performance. Recommended lists are based on information taken from trials across the UK over several seasons. As more information becomes available from the 2020 harvest, this will contribute to the over trials averages, which comprise 4 years for oilseeds and 5 years for cereals. These values provide better information for comparison between varieties. When more results are available, our validation procedures will examine cross site differences further.