

Data were assembled with care but treat differences below LS cautiously. Performance variation is not AHDB's responsibility.
AHDB Harvest Results 2021

Winter Oilseed Rape RL 1-year results - UK 2021 inc untreated

[illegible]

Please note - these data are Final and may be subject to change

Not all varieties on the AHDS Recommended List are presented, since the focus is to test new varieties. Yields for well-established varieties on the AHDS Recommended Lists can be accessed via ahds.org.uk/rf

The AHDS Recommended Lists are managed by a project consortium of AHDS Cereals & Oilseeds, BSEB, UKFM and MAGB. AHDS Cereals & Oilseeds is a division of the Agriculture and Horticulture Development Board.

While the Agriculture and Horticulture Development Board seeks to ensure that the information contained within this document is accurate at the time of printing, no warranty is given in respect thereof and, to the maximum extent permitted by law, the Agriculture and Horticulture Development Board accepts liability for loss, damage or injury however caused (including that caused by negligence) or suffered directly or indirectly in relation to information and opinions contained in or omitted from this document. © Agriculture and Horticulture Development Board 2021. All rights reserved.

Harvest results from an individual trial sites should not be used to make conclusions on individual variety performance. Recommended lists are based on information taken from trials across the UK over several seasons. As more information becomes available from the 2021 harvest, this will contribute to the overall trials averages, which comprise 4 years for oilseeds and 5 years for cereals. These values provide better information for comparison between varieties.

Data were assembled with care but treat differences below LS cautiously. Performance variation is not AHDB's responsibility.
AHDB Harvest Results 2021

Winter Oilseed Rape RL 1-year results - UK 2021 inc untreated

[illegible]

Not all varieties on the AHDS Recommended List are presented, since the focus is to test new varieties. Yields for well-established varieties on the AHDS Recommended Lists can be accessed via ahds.org.uk/

The AHDS Recommended Lists are managed by a project consortium of AHDS Cereals & Oilseeds, BSRB, UKFM and MAGE. AHDS Cereals & Oilseeds is a division of the Agriculture and Horticulture Development Board.

While the Agriculture and Horticulture Development Board seeks to ensure that the information contained within this document is accurate at the time of printing, no warranty is given in respect thereof and, to the maximum extent permitted by law, the Agriculture and Horticulture Development Board accepts no liability for loss, damage or injury howsoever caused (including that caused by negligence) or suffered directly or indirectly in relation to information and opinions contained in or omitted from this document. © Agriculture and Horticulture Development Board 2021. All rights reserved.

Harvest results from an individual trial sites should not be used to make conclusions on individual variety performance. Recommended lists are based on information taken from trials across the UK over several seasons. As more information becomes available from the 2021 harvest, this will contribute to the overall trials averages, which comprise 4 years for oilseeds and 5 years for cereals. These values provide better information for comparison between varieties. Over more results are available, our validation procedures will examine cross site differences further.

Winter Oilseed Rape RL 1-year results - UK 2021 inc untreated

23-Mar	Final results: Untreated* gross output (t/ha) - as % mean of controls									
Name	Code	18-21	2021	Croft	Harfen	EHowgate	Tutington	Kincardine	Broughton	
		mean	mean	N Yorks	Lincs	MLoth	Norfolk	File	Hants	
Control mean		5.11	4.5	4.63	3.96	4.91	4.27	5.56	3.74	
LSD 5% (as %C)		8.0	8.0	10.8	10.5	8.8	13.4	7.9	8.0	
CV%		6.3	7.0	6.3	5.7	4.6	7.4	4.4	5.0	
Sowing date				26-Aug	23-Aug	31-Aug	20-Aug	06-Sep	22-Aug	
Previous crop				W-barley	S-barley	S-barley	W-wheat	S-barley	S-barley	
Soil type				Medium	D-silt	Medium	Medium	L-sand	Medium	
Campus (C)	WR2535	101	109	114	105	100	114	110	106	
Elcor (C)	WR2637	97	96	102	99	88	98	92	97	
DK Expansion (C)	WR2882	100	102	99	99	107	97	103	104	
Aspire (C)	WR2923	101	96	92	89	105	97	97	93	
Temptation (C)	WR2957	101	98	86	108	101	94	97	100	
V 316 OL	WR2523	98	102	80	98	123	106	105	96	
PT279CL	WR2897	93	94	94	97	91	93	95	92	
Crone	WR2847	100	99	102	96	110	93	94	93	
Nizza CL	WR2973	87	90	86	86	97	92	83	83	
PX131	WR2992	90	89	89	80	89	86	100	82	
Darling	WR2999	100	98	90	99	113	92	97	92	
Dazzler	WR3000	99	94	79	92	106	88	98	95	
Crocier	WR3013	93	87	83	98	85	86	93	73	
Crocodile	WR3016	98	102	104	107	97	99	100	105	
Resort	WR3018	93	96	96	96	105	98	96	83	
Aurelia	WR3029	106	105	96	109	120	100	98	106	
Ambassador	WR3030	107	105	99	105	119	96	100	106	
Artemis	WR3032	103	103	97	101	117	107	90	104	
Acacia	WR3034	104	104	104	102	101	113	103	101	
Aardvark	WR3035	104	109	105	108	114	104	111	105	
Blazen	WR3052	98	101	92	106	101	113	93	103	
DK Inprint CL	WR3092	94	90	92	78	98	89	96	83	
DK Expectation	WR3098	96	93	92	92	103	78	98	90	
LG Aviron	WR3110	110	110	104	111	112	109	107	116	
LG Antiqua	WR3111	106	104	90	105	117	105	101	104	
Respect	WR3117	106	106	96	121	105	112	100	105	
DK Extremus	WR3175	-	-	92	101	111	100	98	100	
DK Expat	WR3176	-	-	96	102	101	92	91	96	
Crossfit	WR3178	-	-	76	99	108	79	100	90	
DK Inove CL	WR3185	-	-	87	91	108	76	96	82	
Marvin	WR3188	-	-	88	113	105	99	98	105	
PT299	WR3195	-	-	93	99	99	103	109	110	
PT301	WR3198	-	-	87	108	114	99	103	100	
PT303	WR3202	-	-	103	114	103	121	108	103	
PX138	WR3208	-	-	83	81	91	91	98	71	
Hellott	WR3220	-	-	105	108	111	123	96	108	
Hayta	WR3224	-	-	98	102	106	98	86	105	
Flemming	WR3226	-	-	93	117	90	116	90	105	
Tempron	WR3233	-	-	85	107	107	96	95	95	
Dart	WR3243	-	-	79	125	107	110	88	111	
Matrix CL	WR3244	-	-	84	94	110	93	91	85	
Duplo	WR3247	-	-	81	89	97	89	89	91	
LG Areti	WR3248	-	-	98	103	105	96	99	105	
LG Auckland	WR3250	-	-	97	107	120	110	98	114	
LG Adonis	WR3251	-	-	90	109	105	113	108	102	
Amarone	WR3254	-	-	101	98	116	108	108	105	
Annika	WR3255	-	-	95	102	106	102	92	106	
LG Constructor CL	WR3256	-	-	82	85	86	83	88	87	

(C) = yield control, (D) = Described variety, *trials are treated for sclerotinia at flowering

Please note - these data are Final and may be subject to change.

Not all varieties on the AHDB Recommended List are presented, since the focus is to test new varieties. Yields for well-established varieties on the AHDB

Recommended Lists can be accessed via ahdb.org.uk/H

The AHDB Recommended Lists are managed by a project consortium of AHDB Cereals & Oilseeds, BSBP, UKFM and MAGB. AHDB Cereals & Oilseeds is a division of the Agriculture and Horticulture Development Board.

While the Agriculture and Horticulture Development Board seeks to ensure that the information contained within this document is accurate at the time of printing, no warranty is given in respect thereof and, to the maximum extent permitted by law, the Agriculture and Horticulture Development Board accepts no liability for loss, damage or injury howsoever caused (including that caused by negligence) or suffered directly or indirectly in relation to information and opinions contained in or omitted from this document. © Agriculture and Horticulture Development Board 2021. All rights reserved.

Harvest results from an individual trial sites should not be used to make conclusions on individual variety performance. Recommended lists are based on information taken from trials across the UK over several seasons. As more information becomes available from the 2021 harvest, this will contribute to the over trials averages, which comprise 4 years for oilseeds and 5 years for cereals. These values provide better information for comparison between varieties. When more results are available, our validation procedures will examine cross site differences further.

Winter Oilseed Rape RL 1-year results - UK 2021 inc untreated

23-Mar		Final results: Untreated* seed yield (t/ha) - as % mean of controls									
Name	Code	18-21	2021	Croft	Harfen	EHowgate	Tullington	Kincardine	Broughton		
		mean	mean	N Yorks	Lincs	MLoth	Norfolk	File	Herts		
Control mean		4.79	4.23	4.48	3.85	4.58	4.03	4.97	3.57		
LSD 5% (as %C)		7.5	7.6	10.7	10.7	8.7	13.2	7.8	8.1		
CV%		6.0	6.7	6.3	5.7	4.6	7.4	4.4	5.0		
Sowing date				26-Aug	23-Aug	31-Aug	20-Aug	06-Sep	22-Aug		
Previous crop				W-barley	S-barley	S-barley	W-wheat	S-barley	S-barley		
Soil type				Medium	D-silt	Medium	Medium	L-sand	Medium		
Campus (C)	WR2535	101	108	112	105	99	113	110	107		
Elcor (C)	WR2637	98	98	104	100	89	99	95	99		
DK Expansion (C)	WR2882	100	102	99	100	106	97	102	104		
Aspire (C)	WR2923	101	96	94	90	106	97	97	92		
Temptation (C)	WR2957	100	97	85	106	100	95	96	99		
V 316 OL	WR2523	98	102	82	98	121	107	106	97		
PT279 CL	WR2897	94	95	95	98	92	94	96	92		
Clome	WR2847	98	98	101	98	108	93	92	91		
Nizza CL	WR2973	88	90	87	97	97	92	94	84		
PX131	WR2992	90	88	89	79	88	85	99	82		
Darling	WR2999	99	96	88	98	109	91	95	92		
Dazler	WR3000	97	92	79	90	104	87	96	95		
Crococer	WR3013	94	89	86	99	87	87	94	75		
Crococile	WR3016	99	102	106	107	96	100	100	105		
Resort	WR3018	92	96	95	96	102	98	95	83		
Aurelia	WR3029	107	105	97	109	120	101	97	107		
Ambassador	WR3030	107	105	99	104	118	98	99	107		
Artemis	WR3032	103	102	97	101	116	107	89	103		
Acacia	WR3034	104	105	105	104	102	113	103	102		
Aardvark	WR3035	104	109	105	107	114	105	111	105		
Blazen	WR3052	99	102	94	106	102	112	95	104		
DK Inprint CL	WR3092	96	93	93	93	100	92	98	85		
DK Expectation	WR3098	96	93	92	93	102	80	98	91		
LG Aviron	WR3110	111	111	105	111	115	112	107	117		
LG Antigua	WR3111	106	104	90	104	116	107	101	105		
Respect	WR3117	107	107	96	120	105	114	102	105		
DK Extremus	WR3175	-	-	93	100	110	102	97	100		
DK Expat	WR3176	-	-	97	102	102	95	91	97		
Crossfit	WR3178	-	-	75	97	106	79	100	90		
DK Inove CL	WR3185	-	-	90	93	110	79	97	85		
Marvin	WR3188	-	-	90	114	105	100	97	104		
PT299	WR3195	-	-	90	96	97	101	106	106		
PT301	WR3198	-	-	85	105	112	99	101	98		
PT303	WR3202	-	-	101	112	104	119	106	101		
PX138	WR3208	-	-	84	81	90	91	100	72		
Hellott	WR3220	-	-	107	107	110	123	96	108		
Hayla	WR3224	-	-	97	100	105	97	86	104		
Flemming	WR3226	-	-	95	116	91	115	90	105		
Tempon	WR3233	-	-	86	107	106	97	94	96		
Dart	WR3243	-	-	80	123	107	109	90	109		
Matrix CL	WR3244	-	-	83	93	109	93	88	87		
Duplo	WR3247	-	-	80	89	96	89	86	90		
LG Areti	WR3248	-	-	99	104	106	98	99	107		
LG Auckland	WR3250	-	-	96	108	119	111	96	113		
LG Adonis	WR3251	-	-	91	107	104	111	107	100		
Amarone	WR3254	-	-	102	103	116	108	108	105		
Annika	WR3255	-	-	96	102	106	103	94	108		
LG Constructor CL	WR3256	-	-	84	87	87	87	90	89		

(C) = yield control, (D) = Described variety, *trials are treated for sclerotinia from flowering

Please note - these data are Final and may be subject to change.

Not all varieties on the AHDB Recommended List are presented, since the focus is to test new varieties. Yields for well-established varieties on the AHDB

Recommended Lists can be accessed via ahdb.org.uk/H

The AHDB Recommended Lists are managed by a project consortium of AHDB Cereals & Oilseeds, BSBP, UKFM and MAGB. AHDB Cereals & Oilseeds is a division of the Agriculture and Horticulture Development Board.

While the Agriculture and Horticulture Development Board seeks to ensure that the information contained within this document is accurate at the time of printing, no warranty is given in respect thereof and, to the maximum extent permitted by law, the Agriculture and Horticulture Development Board accepts no liability for loss, damage or injury howsoever caused (including that caused by negligence) or suffered directly or indirectly in relation to information and opinions contained in or omitted from this document. © Agriculture and Horticulture Development Board 2021. All rights reserved.

Harvest results from an individual trial sites should not be used to make conclusions on individual variety performance. Recommended lists are based on information taken from trials across the UK over several seasons. As more information becomes available from the 2021 harvest, this will contribute to the over trials averages, which comprise 4 years for oilseeds and 5 years for cereals. These values provide better information for comparison between varieties. When more results are available, our validation procedures will examine cross site differences further.