Extension of Authorisation Number: 1898 of 2020

EXTENSION OF AUTHORISATION FOR A MINOR USE OF A PLANT PROTECTION PRODUCT

PLANT PROTECTION PRODUCTS REGULATION (EC) No. 1107/2009

Product name*:*	SL 567A
Active ingredient*:*	465 g / l metalaxyl-M
MAPP number*:*	12380
Product authorisation holder*:*	Syngenta UK Limited (Registered Company no. 849037)
Marketing company*:*	Syngenta UK Limited
This Extension of authorisation ends:	on the final expiry date of use for the authorised product (unless otherwise stated)

If the authorisation of the above product is withdrawn or amended before the end date above, this Extension of authorisation will end on the same date as the authorisation for the product. This Extension of authorisation will be withdrawn or amended before its end date if a decision is taken to withdraw or amend this Extension of authorisation under Regulation (EC) No 1107/2009 on any other grounds.

Extent of authorisation: United Kingdom

This extension of authorisation for minor uses applies to all UK parallel trade products issued under Article 52 of Regulation (EC) No 1107/2009 for which SL 567A with MAPP 12380 is the reference product.

Signed by: Wayne Mcleod
Signing time:Wednesday, September 2 2020, 10:50:50 GMT
Location: CRD York
Reason to sign: For the Health and Safety Executive
HSE Digital Signature

This and the attached Appendices 1 and 2 are signed by the Health and Safety Executive ("HSE") for and on behalf of the Secretary of State, the Welsh Ministers, the Scottish Ministers and the Department of Agriculture, Environment and Rural Affairs in Northern Ireland.

Date of issue: 2 September 2020

EXPLANATORY NOTES

1. This is Extension of authorisation number 1898 of 2020.

2. This Extension of authorisation will be published on the website of the Chemicals Regulation Division of the HSE.

3. Application reference number: COP 2020/00268

4. Persons using the product to which this Extension of authorisation applies should acquaint themselves with and observe all requirements contained in the Regulation (EC) No 1107/2009, including the duty on the holder of any Extension of authorisation to notify information on potentially dangerous effects, a contravention of which is a criminal offence under those Regulations.

5. Neither the efficacy nor the phytotoxicity of the product for which this Extension of authorisation has been granted has been assessed and, as such, the user bears the risk in respect of failures concerning its efficacy and phytotoxicity.

ADVISORY INFORMATION

This Extension of Authorisation relates to the use of 'SL 567A' (M12380) on Brussels sprout, cabbage and cauliflower for the control of white blister (Albugo candida).

IMPORTANT: When applying this product under the terms of this Extension of Authorisation, comply with any resistance guidance or restrictions stated on the product label.
Total reliance on one pesticide will hasten the development of resistance. Pesticides of different chemical types or alternative control measures should be included in the planned programme. Alternating with different modes of action is a recognised anti-resistance strategy.

Alternating with different modes of action is a recognised anti-resistance strategy.

Metalaxyl-M, a component of SL 567A and belongs to the chemical class phenylamides. A number of diseases, have developed resistance to phenylamides. Strains of diseases including “downy mildew” resistant to the phenylamide group of fungicides, which includes metalaxyl-M are known to occur in some regions of the United Kingdom. Where strains of pathogens resistant to metalaxyl-M develop SL 567A may not give satisfactory control of the disease. Where there is a known resistance problem with metalaxyl-M growers should seek other methods of disease control.
To prevent the build-up of resistance which could render SL-567A ineffective, when applied to foliage it should be used in mixture with fungicides having a different mode of action. Cultural methods of control should be used whenever possible. SL-567A should only be used where essential. Curative or eradicant use should be avoided.

To minimise the risk of resistance developing this product must always be applied in tank-mix with another fungicide with an alternative mode of action and at a rate that is effective against the target disease. There is a high risk of resistance developing if SL 567A is applied alone.

APPENDIX 1: CONDITIONS OF EXTENSION OF AUTHORISATION

The conditions below are obligatory. They must be complied with when the Extension of authorisation occurs. Failure to comply with the following conditions will result in the withdrawal or amendment of the Extension of authorisation under Regulation (EC) No 1107/2009 and may result in other enforcement action, including prosecution. For the purposes of this Extension of authorisation only, the conditions and/or requirements shown below supersede any corresponding conditions and/or requirements set out on the label or otherwise provided for under the product authorisation **which would otherwise apply**.

Use:

Field of use: **ONLY AS A FUNGICIDE**

User: Professional

Crops/situations:	Maximum individual dose: (litres product / ha)	Maximum total dose:	Maximum number of treatments: (per crop)	Latest time of application:
Brussels sprout, cabbage, cauliflower	0.16	-	2	14 days before harvest

Operator Protection:

(1) Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment:

(2) However, engineering controls may replace personal protective equipment if a COSHH assessment shows that they provide an equal or higher standard of protection.

(a) Operators must wear suitable protective gloves and face protection (faceshield) when handling the concentrate.

Other specific restrictions:

(1) This product must only be applied in accordance with the terms of this extension of authorisation, the product label and/or leaflet and any additional guidance on extensions of authorisation.

(2) To minimise the risk of resistance developing this product must always be applied in tank-mix with

another fungicide with an alternative mode of action and at a rate that is effective against the target disease. There is a high risk of resistance developing if SL 567A is applied alone.

(3) This product must be applied with a minimum of 200 litres of water.

(4) A maximum of 2 treatments may be applied

(5) A minimum of 14 days must be observed between applications.

(6) This product must not be applied via hand-held equipment.

APPENDIX 2: GENERAL CONDITIONS FOR AN EXTENSION OF AUTHORISATION

Failure to comply with the following conditions will result in the withdrawal or amendment of the Extension of authorisation under Regulation (EC) No 1107/2009 and may result in other enforcement action, including prosecution.

Adverse effects:

The authorisation holder must immediately notify the Secretary of State, the Scottish Ministers and the Department of Agriculture, Environment and Rural Affairs in Northern Ireland (care of the Health and Safety Executive), if they have any new information on the potentially adverse effects of the authorised product, or of residues of an active substance in that product when used in accordance with the conditions of this Extension of authorisation. For those products authorised under Regulation (EC) No 1107/2009 authorisation holders must also tell the other relevant competent authorities of the EC Member States (a list of which is available from the Health and Safety Executive) and the EC Commission. Failure to comply with this requirement is an offence.

Provision of information:

The authorisation holder must comply with all requests for information required by, or on behalf of, the Secretary of State, the Scottish Ministers or the Department of Agriculture, Environment and Rural Affairs in Northern Ireland in accordance with Regulation (EC) No 1107/2009.